

Product Information

Hydroxyl agent, Hyaluronate-PEG-OH, Purity $\geq 95\%$

Cat. No.: X25-04-YM1386

Size: 100 mg; 250 mg; 500 mg; 1 g; 5 g

Synonym: Hydroxyl-PEG-hyaluronate

This product is for research use only and is not intended for diagnostic use.

Product Information

Description	Hydroxyl-functionalized hyaluronate-PEG derivatives are synthesized by conjugating terminal -OH groups <i>via</i> PEG linkers to hyaluronic acid, creating hydrophilic platforms for biochemical studies.
Glycan Structure	The glycan structure of hyaluronate (hyaluronic acid, HA) is a linear, non-sulfated glycosaminoglycan composed of repeating disaccharide units.
Source	Chemical synthesis
Form	Solid or powder
Purity	$\geq 95\%$
Impurities	No visible impurities to the naked eye.
Solubility	This product is soluble in most organic solvents, such as DCM, DMF, DMSO, and THF, and exhibits excellent solubility in water.
Identity	Confirmed by NMR.
Stability	It is stable under its storage temperature.
Quality Level	Research level
Applications	Hyaluronate-PEG-OH plays a key role in enhancing colloidal stability in nanoparticle-protein interaction studies.
Storage	Store at -20°C , protect from light and moisture.