



Product Information

Phaseolus vulgaris lectin E (PHA-E), Red kidney bean, Agarose conjugate

Cat. No.: XLC-56-02Q-E

Size: 2 mL; 5 mL

Synonym: PHA-E; Red-kidney-bean-agglutinin

This product is for research use only and is not intended for diagnostic use.

Product Information

Description	<i>Phaseolus vulgaris</i> lectin E (PHA-E) specially binds to Galactose and Complex structures. Inhibiting or Eluting Sugar: Bovine thyroglobulin or Acetic acid. This product can be used in glycobiology, immunochemistry, immunofluorescence, western blot, enzyme-linked immunosorbent assay and affinity chromatography.
Biological Source	Red kidney bean
Concentration	3-5 mg/mL
Conjugate	Agarose
Carbohydrate Specificity	Galactose; Complex structures
Inhibiting or Eluting Sugar	Bovine thyroglobulin or Acetic acid
Particle Size	50-250 μ m
Form	Liquid
Purity	Pure
Buffer	0.01 M PBS (pH 7.2)
Preservative	0.05% sodium azide
Applications	Glycobiology, Immunochemistry, Immunofluorescence, Western blot, Enzyme-linked immunosorbent assay, Affinity chromatography
Storage	Store at 2-8°C. (Do not freeze!)