

## Product Information

### Ovalbumin agent, Xylan-PEG-ovalbumin, Purity $\geq 95\%$

**Cat. No.:** X25-05-YM1006

**Size:** 100 mg; 250 mg; 500 mg; 1 g; 5 g

**Synonym:** Xylan-PEG-ovalbumin; Ovalbumin-PEG-xylan

**This product is for research use only and is not intended for diagnostic use.**

#### Product Information

<b>Description</b>	Xylan-PEG-ovalbumin creates a tri-component composite engineered to combine the ecologically favorable structural elements of xylan—a $\beta$ -1,4-xylose-based biopolymer derived from plant hemicellulose sources—with ovalbumin's molecular features through polyethylene glycol conjugation. The carbohydrate matrix contributes aqueous environment compatibility and mucous membrane adherence while promoting biological system adaptability.
<b>Molecular Formula</b>	0
<b>Glycan Structure</b>	Its glycan structure is a linear backbone of $\beta$ -1,4-linked D-xylose residues with side-chain substitutions including $\alpha$ -linked arabinofuranose, glucuronic acid/4-O-methyl-glucuronic acid, and acetyl groups at O-2 or O-3 positions.
<b>Source</b>	Chemical synthesis
<b>Form</b>	Solid or powder
<b>Purity</b>	$\geq 95\%$
<b>Impurities</b>	No visible impurities to the naked eye.
<b>Solubility</b>	This product is soluble in most organic solvents, such as DCM, DMF, DMSO, and THF, and exhibits excellent solubility in water.
<b>Identity</b>	Confirmed by NMR.
<b>Stability</b>	It is stable under its storage temperature.
<b>Quality Level</b>	Research grade
<b>Applications</b>	Xylan-PEG-ovalbumin can be used for its potential to investigate ovalbumin-polysaccharide interactions in dendritic cell maturation assays.
<b>Storage</b>	Store at $-20^{\circ}\text{C}$ , protect from light and moisture.