



Product Information

Triticum vulgare lectin (WGA), Wheat germ, Quasar (FSD) 647 conjugate

Cat. No.: X23-02-ZQ557

Size: 1 mg

Synonym: WGA; Wheat germ agglutinin

This product is for research use only and is not intended for diagnostic use.

Product Information

Description	<i>Triticum vulgare</i> lectin (WGA) is isolated from wheat germ and specially binds to <i>N</i> -acetylglucosamine. Inhibiting or eluting sugar: chitin hydrolysate or <i>N</i> -acetylglucosamine w/acid or salt. This product can be used in glycobiology, immunocytochemistry, immunohistochemistry, immunofluorescence and mitogenic stimulation.
Biological Source	Wheat germ
Conjugate	Quasar (FSD) 647
Carbohydrate Specificity	<i>N</i> -Acetylglucosamine
Inhibiting or Eluting Sugar	Chitin hydrolysate or <i>N</i> -Acetylglucosamine w/acid or salt
Blood Group Specificity	Non-specific
Purity	High purity grade
Applications	Glycobiology, Immunocytochemistry, Immunohistochemistry, Immunofluorescence, Mitogenic stimulation
Storage	Store at 4°C.

Safety Information

Personal Protective Equipment	Gloves, eyeshields, N95 mask
--------------------------------------	------------------------------